

Notification
Home Department,
Sachivalaya, Gandhinagar.
Dated the 16th July, 2022.

Gujarat Public
Safety
(Measures)
Enforcement
Act, 2022.

No. GG/97/2022/SB5/PSM/102022/308.- In exercise of the powers conferred by sub- section (1) of section 9 of the Gujarat Public Safety (Measures) Enforcement Act, 2022 (Guj. Act No. 6 of 2022), the Government of Gujarat hereby makes the following rules to provide for the Public Safety Measures at the Establishments in the State of Gujarat, namely:-

1. Short title and extent.- (1) These rules may be called the Gujarat Public Safety (Measures) Enforcement Rules, 2022.

(2) They shall extend to the whole of the areas as identified and notified by the Government of Gujarat vide Government Notification No. GG/96/2022/SB5/PSM/102022/308 Dated 16/07/2022.

2. Definitions.- (1) In these rules, unless the context otherwise requires.—

(a) “**Act**” means the Gujarat Public Safety (Measures) Enforcement Act, 2022;

(b) “**Annexure**” means annexure appended to these rules;

(c) “**Association**” means,-

(i) group of owners or lessee of shops or commercial units within a commercial establishment, and

(ii) group of individual shops or establishments situated in a particular geographical area located close to each other having scope for large congregations at any given point of time;

(d) “**Establishment**” means a place frequented by such number of people as identified and specified in the Government Notification No. GG/98/2022/SB5/PSM/102022/308, dated 16/07/2022 such as commercial establishments, industrial establishments, religious places, educational institutions, hospitals, sports complexes, railway stations, bus stations, places of organized congregations and such other establishments as declared by the Government, to be an establishment for the purpose of this Act.

Explanation:

(i) While identifying the establishment, the Public Safety Committee shall inspect the establishment duly taking into account whether there is a gathering of more than the specified number of people at any point of time, the threat perception of that particular establishment, the vulnerability of that particular establishment and total number of people visiting that particular establishment in a day, etc. Where there are multiple owners of commercial establishments, the Public Safety Committee may advise such multiple owners to form an association and implement sector wise safety measures. The Committee shall also identify sectors having a large congregation with high vulnerability at any given point of time and advise them to form an association and implement safety measures;

(ii) Commercial Establishments shall mean such as shopping malls, multiplexes, group of individual shops concentrated at a particular area giving scope for more congregation at any given point of time, Cinema theatres, places of entertainment, amusement parks, sports complexes, auditoriums, hotels / restaurants / dhabas, lodges, bars and restaurants, food courts, resorts, banks and financial institutions and places of organized congregation such as convention centers, exhibitions, function halls, circuses and places of public meeting and gathering;

(e) **“Form”** means, a form appended to these rules;

(f) **“Notification”** means, a notification published by the Government in the *Official Gazette* and the word notified shall be construed accordingly;

(2) The words and expressions not defined in these rules, but defined in the Act, shall have the same meaning respectively assigned to them in the Act.

3. Public Safety Committee. - The Public Safety Committee shall be constituted by the District Magistrate consist of the following representatives, namely: -

(i) In Municipal Corporation Areas:

1	Resident Additional Collector	Chairman
2	Deputy Commissioner of Police	Member-Secretary
3	Deputy Municipal Commissioner	Member
4	Not more than three members to be nominated by associations of the establishments proposed to be covered under the Act in the district or area for two years from the date of their nomination	Member

Provided that in Municipal Corporations which do not have a Police Commissionerate, Deputy Superintendent of Police shall be the Member-Secretary of the Committee;

(ii) Other Areas:

1	Resident Additional Collector	Chairman
2	Deputy Superintendent of Police	Member-Secretary
3	Not more than three members to be nominated by associations of the establishments proposed to be covered under the Act in the district or area for two years from the date of their nomination	Member

Provided that if such area has a Municipality or a Municipal Borough, not more than two Chief Officers shall be additional members of the Committee.

4. Obligation to provide the public safety measures.- (1) Every owner or manager or the persons running an establishment shall provide and maintain Public Safety Measures.

(2) Every owner or manager or the persons running an establishment shall save and store video footage properly for a period of thirty days and provide the same as and when required by the police officer not below the rank of a Police Sub-Inspector.

(3) The police officer not below the rank of Police Sub-Inspector who has obtained the video footage from an establishment shall maintain the confidentiality of the database. The footage shall be used only for the purposes of law enforcement, security and investigation.

(4) Every owner or manager or the persons running an establishment shall jointly and severally be responsible for installation of public safety measures at their own cost and file first return regarding public safety measures initiated in their premises to the

jurisdictional Public Safety Committee in Form 1 within a period of six months from the issuance of these rules and shall furnish annually thereafter in Form 2.

(5) The Public Safety Committee may recommend public safety measures for single individual establishment or a group of establishments operating business together after the inspection of the premises in Form 3.

(6) The Public Safety Committee may, having regard to the number of foot falls per day, number of vehicles entering the designated parking, threat perception, etc. order such establishments to install and maintain CCTV Camera Systems, access control measures where it shall be obligatory for the owner or manager or person running such establishment to comply with such orders.

5. Public Safety Measures.- (1) Every establishment or association shall provide equipment of minimum technical specifications for CCTV Camera Systems and access control measures, as the case may be, as per the specifications, as mentioned in Annexure appended to these rules.

(2) The CCTV Camera System shall be functional on 24 x 7 basis even when the establishment is closed.

(3) The CCTV Camera System shall be installed covering the entry - exit points of establishments and entry - exit points of designated parking lots of the establishment with facility for storage of video footages for a minimum period of thirty days.

6. Inspection of the premises.- (1) The Public Safety Sub-Committee or a revenue officer or municipal officer or as the case may be a police officer not below the rank of Police Sub-Inspector, duly authorized by the Public Safety Committee shall enter into and inspect the premises of the establishments with a prior notice of minimum two days and submit a report in Form 4 to the Public Safety Committee in case of breach of the provisions of the Act and these rules.

(2) The Public Safety Committee may issue such instructions to the establishment regarding installation of public safety measures based on the inspection reports.

(3) The owner or manager or persons running the establishment shall comply the instructions of Public Safety Committee within a period of thirty days from the date of issuance of such instructions.

(4) In case of breach of the provisions of section 3 of the Act by the owner or manager or persons running the establishment or for non-compliance of the instructions of the

Public Safety Committee, a show cause notice for levying penalty shall be issued in Form 5. In case of non-receipt of reply or non-compliance of the show cause notice within a period of thirty days, the Public Safety Committee shall pass an order in Form 6 for confirming the penalty mentioned in the show cause notice.

(5) In case of any change in the entry and exit points or parking areas, the same shall be intimated to the Public Safety Committee within a period of thirty days from the date of such changes.

7. Appeal. - (1) The owner or manager or the persons running the establishment aggrieved by the order of the Public Safety Committee may prefer an appeal in Form 7 before the District Magistrate within a period of thirty days from the date of the order of the Public Safety Committee under sub-section (3) of section 4 or, as the case may be under sub-section (2) of section 5 of the Act.

(2) The District Magistrate shall inform the appellant by way of notice in Form 8 and shall decide the appeal within a period of sixty days from the date of filing of appeal, after giving due opportunity of being heard to the appellant and inspecting officer.

(3) In case of rejection of appeal, the owner or manager or persons running the establishment shall comply with the instructions issued under sub-rule (2) of rule 6 of Public Safety Committee,-

(i) within six months from the date of order passed in appeal against the order under sub-section (3) of section 4; or

(ii) within one month from the date of order passed in appeal against the order under sub-section (2) of section 5 of the Act.

(4) The non-compliance of the order shall lead to the imposition of penalty as prescribed in sub-section (2) of section 5 of the Act.

Annexure: Technical Specifications

(See rule 5)

(a) Minimum Technical specifications for CCTV Camera:

Sl. No.	Parameter	Specification
1	Resolution	Full HD 1920 x 1080 or higher
2	Image Sensor Size	Minimum 1/3 “CMOS”
3	Minimum Illuminations	0.01 Lux or higher
4	Lens	Focal length 3.6 mm or higher
5	Distance to be covered	IR LED (In Built IR) – 50 yards or higher
6	Video Platform Format	Open Network Video Format Interface Format (ONVIF) Compliant or Equivalent (H.264 Compression)

Note: the above-said specification is common for PTZ camera, Bullet camera and Dome Camera.

(b) Minimum Technical specifications for Network Video Recorder (NVR):

Sl. No.	Parameter	Specification
1	Supported Resolution	Full HD 1920 X 1080 or higher
2	Output port	VGA D-sub / HDMI, USB port, LAN Port
3	Monitoring and playback	Should support Remote live view and remote playback
4	Video Platform Format	Open Network Video Format Interface Format (ONVIF) Compliant or Equivalent (H.264 Compression)
5	Required storage/ recording capacity (NVR)	Minimum 30 days @ 25 FPS, Full HD, H.264
6	Video Platform Format	Open Network Video Format Interface Format (ONVIF) Compliant or Equivalent (H.264 Compression)

(c) Technical Specifications for Hand Held Metal Detector (HHMD):

Sl. No.	Parameter	Specification
1	Detection	Ferrous, Non-Ferrous & Alloys
2	Detects Pin from a minimum distance of:	25 mm
3	Detects Pistol - 0.22 from a minimum distance of (mm):	150 mm
4	Detects Cartridge - 0.22 from a minimum distance of (mm):	50 mm
5	Detects Razor Blade from a minimum distance of (mm):	25 mm

6	Tuning to ensure equal results on wide range of metals and alloys	Automatic
7	Battery type (inclusive in the scope of supply)	Re-chargeable
8	Details of battery, AH capacity	Minimum 500 mAH
9	Battery Protection against reverse polarity	Yes
10	Battery charger (Inclusive in the scope of supply)	Battery Charger

(d) Technical Specifications for Door Frame Metal Detector (DFMD):

Sl. No.	Parameter	Specification
1	Detection	Ferrous, Non-Ferrous & Alloys
2	Detects Pin from a minimum distance of:	25 mm
3	Detects Pistol - 0.22 from a minimum distance of (mm):	150 mm
4	Detects Cartridge - 0.22 from a minimum distance of (mm):	50 mm
5	Detects Razor Blade from a minimum distance of (mm):	25 mm
6	Tuning to ensure equal results on wide range of metals and alloys	Automatic
7	Battery type (inclusive in the scope of supply)	Re-chargeable
8	Details of battery, AH capacity	Minimum 500 mAH
9	Battery Protection against reverse polarity	Yes
10	Battery charger (Inclusive in the scope of supply)	Battery Charger

(e) Under Vehicle Inspection Mirror:

Sl. No.	Parameter	Specification
1	Scope of usage	To view underside of vehicles / tables etc for any hidden explosives / suspected devices
2	Protecting shield over the mirror	Removable protecting shield made of waterproof cloth and high-density poly urethane foam provided over the mirror to protect it during transportation
3	Fixing details	Adjustable- inspection mirror can be swivelled and locked securely into required place
4	Mirror Type	Convex Mirror
5	Material of Trolley Platform and telescopic rods and handle	Stainless Steel or Polycarbonate

(f) Baggage Scanner:

Sl. No.	Parameter	Specification
1	Conveyor Capacity	Min 100 KG
2	Throughput Rate (Bags per hour)	Minimum 1000
3	Radiation level at a distance of 5 cm from external housing of the system (m R/hr.)	0.1
4	Resolution	Able to display single uninsulated tinned copper wire of 42-SWG or 38-AWG
5	Penetration (Thickness of Steel block)	35 millimeters
6	X-RAY BAGGAGE INSPECTION SYSTEM covers all components / accessories complete as per governing QR/specification	Yes
7	Availability of Certificate from Atomic Energy Regulatory Board (AERB) to prove that the System complies the requirements of Health & Safety regulations with regard to mechanical, Electrical and Radiation hazards	Yes

8	Radiation Safety Certificate from AERB to be furnished to the Buyer on demand	Yes
9	Video display	18.5" or better LCD Monitor SVGA High resolution, low radiation, flicker free, resolution at least ,280 x 1024, 24-bit color real time processing.
10	Other Features	Multi-energy X-ray imaging facility where materials of different atomic number will be displayed in different colors to distinguish between Organic and Inorganic materials. With this method to distinguish high density organic materials including explosives. Machine should have variable color or, materials stripping to facilitate the operator to monitor images of organic materials for closer scrutiny, all suspicious items (Explosives, High density, material narcotics) should be displayed in one mode and that should be on line.

By order and in the name of the Governor of Gujarat,

(Vijay Badheka)

Under Secretary to Government.

To,

1. Secretary to Hon'ble Governor of Gujarat, Gandhinagar (By letter).
2. Secretary to Gujarat Legislature Assembly, Gandhinagar (By letter).
3. Chief Principal Secretary to Chief Minister, Sachivalaya, Gandhinagar.
4. P.S. to Minister of State (Home), Sachivalaya, Gandhinagar.
5. P.P.S. to Addl. Chief Secretary (Home), Sachivalaya, Gandhinagar
6. Secretary, Legislative & Parliamentary Affairs Department,
Sachivalaya, Gandhinagar.
7. All officers of Home Department.
8. Director General and Inspector General of Police, Gujarat State,
Gandhinagar
9. All Commissioner of Police

10. All District Magistrates
11. All Superintendent of Police
12. Manager, Government Central Press, Gandhinagar,
.....with a request to publish the notification in Government Gazette.
13. IT Cell, Home Department
.....with a request to upload this notification on Department's website.
14. Select File.

Form 1

[See rule 4 (4)]

(To be submitted by every Owner / Manager / Person or Persons who are running establishment immediately after the installation of public safety measures)

(1)	Name, registration number and address of the establishment	
(2)	Electronic devices installed and details of equipment:	
	(i) Access Control Devices: Number/make/model of HHMDs: Number/make/model of DFMDs: Number/make/model of Baggage Scanners: Number/make/model of Under Vehicle Inspection Mirrors:	
	(ii) CCTV Camera System: Number/make/model of CCTV Cameras: Make and Model of NVRs:	
(3)	Places of installation: (i) Entry-Exit of the Establishment (Yes/No): (ii) Entry-Exit of the Designated Parking (Yes/No):	
(4)	Date of installation:	
(5)	Field of view of CCTV Cameras installed at Entry-Exit of the Establishment and Entry-Exit of the Designated Parking: (i) Angle Covered in Degrees: (ii) Distance Covered in Meters:	
(6)	Date of inspection of the establishment by the officer authorized by Public Safety Committee	
(8)	Whether facility available for transfer of data or not.	
(9)	Date of filing the First Statement	
(10)	Due Date for filing next Annual Return	

Date:

Signature of Owner / Manager/Association of Establishment

(Note: The form may be submitted either electronic mode or physically to the jurisdictional Public Safety Committee)

Form 2

[See rule 4 (4)]

(To be submitted by every Owner / Manager / Person or Persons who are running establishment annually)

(1)	Name, registration number and address of the establishment	
(2)	Electronic Devices installed and details of equipment:	
	(i) Access Control Devices: Number/make/model of HHMDs: Number/make/model of DFMDs: Number/make/model of Baggage Scanners: Number/make/model of Under Vehicle Inspection Mirrors:	
	(ii) CCTV Camera System: Number/make/model of CCTV Cameras: Make & Model of NVRs:	
(3)	Places of installation: (i) Entry-Exit of the Establishment (Yes/No): (ii) Entry-Exit of the Designated Parking (Yes/No):	
(4)	Any changes (Addition/Removal) made in the public safety measures during the year (Yes/No) Details of new devices installed: Devices removed:	
(5)	Field of view of CCTV Cameras installed at Entry-Exit of the Establishment and Entry-Exit of the Designated Parking: (iii) Angle Covered in Degrees: (iv) Distance Covered in Meters:	
(6)	Whether the devices are in working condition? (Yes/No)	
(8)	Date of inspection of the establishment by the officer authorized by Public Safety Committee	
(9)	Suggestions given by inspecting officer and its compliance	
(10)	Whether facility available for transfer of data or not.	
(11)	Date of filing of Annual Return	
(12)	Due Date for filing next Annual Return	

Date:

Signature of Owner / Manager/Association of Establishment

(Note: The form may be submitted either electronic mode or physically to the jurisdictional Public Safety Committee)

Form 3

[See rule 4 (5)]

Form for Identification of an Establishment under Gujarat Public Safety (Measures) Enforcement Act, 2022

Details of the Establishment:		
(1)	Name, Registration Number and Address of the Establishment	
(2)	Name, address and mobile number of the Owner/Manager/ Association of the Establishment	
(3)	Type of Establishment (Multiplexes/Restaurant/Hospitals/ Recreational/Religious etc.)	
(4)	Municipal License Number and any other departmental licenses	
(5)	Name of the jurisdictional Police Station	
(6)	Whether the entire building utilized by Establishment owner / Group of owners or tenant / tenants	
(7)	If it is tenancy, the details of Owner/ Builder / Association?	
(8)	(i) Number of entry points to the building / premises	
(9)	(ii) Number of exit points to the building / premises	
(10)	Nearest Parking slots and distance from the Establishment	
(11)	(a) Average number of two wheelers parked (b) Average number of four wheelers parked	
(12)	Whether private security agency is engaged or not?	
	(i) If yes, the name and address of Agency.	
	(ii) Whether the Security guards are trained or not?	
(13)	Other Establishments in and around the Establishment	
(14)	Number of visitors entering the establishment at any given point of time	
Threat Assessment by Public Safety Committee:		
(15)	Vulnerability of the Establishment (High/ Medium/Low):	
(16)	Threat Perception (High/Medium/Low):	
(17)	Any other establishment/gathering in and around radius of 50 yards:	
(18)	Details of past incidents of property offences/body offences/incidents of sexual assault on women occurred in the area, if any	
(19)	Distance and Field of View of CCTV Camera required	
Public Safety Measures Suggested:		
(20)	Type of Access Control Devices suggested: Number of HHMDs: Number of DFMDs:	

	Number of Baggage Scanners: Number of Under Vehicle Inspection Mirrors:	
(21)	Suggested Location of Access Control Devices: HHMDs: DFMDs: Baggage Scanners: Under Vehicle Inspection Mirrors:	
(22)	Number of CCTV Cameras:	
(23)	Location of CCTV Cameras:	
(24)	Any other suggestion as part of Public Safety Measures	

The establishment is hereby identified as an ‘establishment’ under this Act having obligation to install public safety measures as per Section 3 of Gujarat Public Safety (Measures) Enforcement Act, 2022.

Date:

**Signature of Members of Public Safety Committee
(or Officers authorized by Public Safety Committee)**

To:

The Owner / Manager/Association of the Establishment

Name & Address of the Establishment:.....

.....

Copy to:

The Chairman, Public Safety Committee

Form 4

[See rule 6 (1)]

Inspection Report under, rule sub-rule (1) of the Gujarat Public Safety (Measures) Enforcement Rules, 2022

(TO BE PREPARED IN TRIPLICATE)

To,
The Chairman,
Public Safety Committee,
City/District: _____

Name & Designation of Inspecting Officer:

Date of Inspection:

Date of last Inspection:

(1)	Name of the Establishment:	
(2)	Address:	
	Land Line No.:	
	Mobile No:	
	E-mail ID.:	
(3)	Name and address of Owner / Manager / Persons / Association present at the time of inspection with Mobile No	
(4)	Type of Establishment	
(5)	Municipal License No.	License No.
	or any other License No.	Valid up to
(6)	Whether periodical return submitted by Establishment Owner / Manager / Association (Yes/No)	
(7)	If Yes, Date of Last Return submitted:	
(8)	Types of Access Control Devices installed (to be compared with the return filed by the Establishment) :	(1) DFMD: (2) HHMD (3) Vehicle Bottom Search Mirror (as required) (4) Baggage scanner (as required) (5) Whether they are in working condition or not?

(9)	CCTV Camera System installed (to be compared with the return filed by the Establishment):	(1) No. of cameras installed: (2) Type of Cameras: (3) Storage Capacity: (4) Whether CCTV Camera System is in working condition? (5) Whether it is covering approach areas to the entry and exit up to a distance of 50 yards (6) Quality of Image
(10)	Whether the Access Control Devices, CCTV Camera System and Security Gadgets are meeting out the safety requirements? (Yes/No)	
(11)	If No, deficiencies noticed	
(12)	Suggestions for improvement /Remarks of Inspecting Officer	

Date:

Signature of Owner/Manager /Association of
Establishment

Signature of Inspecting Officer

Copy to:

The Owner / Manager / person or the persons/ Association of Establishment

Name & Address of the Establishment:.....

.....

Form 5

[See rule 6 (4)]

Form of Show Cause Notice under rule 6 (4) of the Gujarat Public Safety (Measures) Enforcement Rules, 2022

Number:

Date:.....

To,

The Owner / Manager / Association
Name & Address of the Establishment
.....

Sub: Show Cause Notice under sub-rule (4) of rule 6 of the Gujarat Public Safety (Measures) Enforcement Rules, 2022 for non-compliance of the public safety measures.

Sir,

Whereas, your establishment has been identified as Establishment under the Gujarat Public Safety (Measures) Enforcement Act, 2022.

2. Whereas, you are under obligation to install public safety measures as enumerated in section 3(1) of the Gujarat Public Safety (Measures) Enforcement Act, 2022.

3. Whereas, the officer authorized by the Public Safety Committee has inspected your establishment on and has found the following violations:

(1)	
(2)	
(3)	
(4)	

4. Whereas, as owner / Manager /member of the Association of the establishment, you have failed to maintain the public safety measures in the premises as per the prescribed specification thereby violated section 3 (1) of Gujarat Public Safety (Measures) Enforcement Act, 2022.

5. Therefore, this Show Cause Notice is being issued as to why penalty under Section 5 (2) of the Act should not be levied for non-compliance of the Act. Your written reply should reach this office within 15 days failing which penal action shall be initiated against you.

(Signature of the Member-Secretary)

Public Safety Committee

City/District

Copy to:

The Station House Officer (SHO),

Name of the Police Station:

Address:.....(with a request to serve the original copy of the Show Cause Notice to the Owner / Manager / Association and forward acknowledged copy to this office)

Form 6

[See rule 6 (4)]

Format for Levying of penalty under sub-rule (4) of rule 6 of the Gujarat Public Safety (Measures) Enforcement Rules, 2022

Number:

Date:.....

**The Chairman,
Public Safety Committee
City/District: _____**

To,
The owner / Manager / Association
Name of the Establishment
.....
.....

Sub: Levying of penalty for Non-compliance of Section 3 (1) of the Gujarat Public Safety (Measures) Enforcement Act, 2022 and Section 6 (4) of Gujarat Public Safety (Measures) Enforcement Rules, 2022

Ref: Show Cause Notice No., Dated:.....

Sir,

Whereas, your establishment has been identified as an Establishment under the Gujarat Public Safety (Measures) Enforcement Act, 2022.

2. Whereas, you have failed to reply to the Show Cause Notice / the reply to the Show Cause Notice is not satisfactory. Therefore, in exercise of the powers conferred on me under section 5 (2) read with Rule 6 (4) of the Gujarat Public Safety (Measures) Enforcement Act, 2022, I hereby order a penalty of Rs.10,000 (Rupees ten thousand only) for the first month and Rs.25,000 (Rupees twenty-five thousand only) for the subsequent months of default.

3. You shall forthwith pay the penalty at the office of Resident Additional Collector, District:..... and submit the copy of the challan as proof of having paid the penalty to this office.

Signature of the Chairman
Public Safety Committee

Copy to:

The Station House Officer (SHO),

Name of the Police Station:

Address:.....(with a request to serve the original order to the Owner / Manager / Association and forward acknowledged copy to this office)

Form 7

[See rule 7 (1)]

**Form for Appeal under sub-rule (1) of rule 7 of the Gujarat Public Safety (Measures)
Enforcement Rules, 2022**

To,
**The Chairman,
Public Safety Committee**
City/District: _____

I / We s/o..... Age..... r/o
.....

being owner / Manager / Association of Establishment, do hereby declare that the public safety measures as required under the Gujarat Public Safety (Measures) Act, 2022 are installed in the establishment and they are in good working condition and a sample feed was collected in this regard for reference. The violations noticed by the inspection committee are not fully true in my opinion / the violations noticed by the inspection committee have been corrected thereafter and the instructions are complied with.

2. The above facts are true and correct to the best of my / our knowledge. In case any information is found incorrect in the above declaration, I / We am/ are liable for the action under the law.

3. The details of public safety measures (Access Control Device/CCTV Camera System) installed in the premises are as under:

4. Hence, I prefer an appeal on the orders of Public Safety Committee with a request to waive off the compounding fee levied on us for violating the provisions of the Gujarat Public Safety (Measures) Act, 2022. I may be given an opportunity to be heard either in person or through an authorized representative and submit relevant documents/materials in support of my contention before deciding on this appeal.

Place:

Date: **Signature of Owner / Manager / Association of Establishment**

Form 8

[See rule 7 (2)]

**Notice to the appellant for hearing under sub-rule (2) of rule 7 of the Gujarat Public Safety
(Measures) Enforcement Rules, 2022**

To,

The owner / Manager / Association

Name of the Establishment

Sub: Notice in connection with appeal against the orders of Public Safety Committee levying compounding fee for Non-compliance of Section 3 (1) of the Gujarat Public Safety (Measures) Enforcement Act, 2022 and Section 6 (4) of the Gujarat Public Safety (Measures) Enforcement Rules, 2022

Ref: Order of Public Safety Committee No., Date

We are in receipt of your request to go on appeal against the orders of public safety committee under Section-5 (2) of the Gujarat Public Safety (Measures) Enforcement Act, 2022 and Rule-6 (4) the Gujarat Public Safety (Measures) Enforcement Rules, 2022 Dated.....

2. You will be given an opportunity to be heard in this regard. Hence, you are required to be present in person or through your representative in support of your contention on (Date)..... at (Time) hrs at (Venue)

District Magistrate
City/District

Copy to:

The Chairman,

Public Safety Committee,

City/District:.....: to authorize an officer to be present during hearing on behalf of the committee.

The Station House Officer (SHO),

Name of the Police Station:.....

District:: to serve the original copy of the notice to the Owner / Manager / Association and forward acknowledged copy to this office.